Safety Data Sheet

SECTION 1: Product and company identification

Product name : ICE-GO PELLETS
Use of the substance/mixture : Ice melting pellets

Product code : 4171

Company : ATCO INTERNATIONAL 1401 BARCLAY CIRCLE S E MARIETTA, GA 30060 - US

T 770-424-7550 / 800-723-2826

Emergency number : 800-255-3924 (ChemTel / VelocityEHS, 24 hours a day / 7 days a week)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute Tox. 4 (Oral) H302 Skin Irrit. 2 H315 Eye Irrit. 2B H320

2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)



GHS07

Signal word (GHS US) : Warning

Hazard statements (GHS US)

: Harmful if swallowed
Causes skin irritation
Causes eye irritation

Precautionary statements (GHS US) : Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product. Wear eye protection, face protection, protective gloves.

If swallowed: Call a doctor, a POISON CENTER if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

If eye irritation persists: Get medical advice or attention.

Dispose of contents and container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Calcium Chloride	(CAS-No.) 10043-52-4	80 - 100	Eye Irrit. 2A, H319
Water	(CAS-No.) 7732-18-5	7 - 13	Not classified
Potassium Chloride	(CAS-No.) 7447-40-7	1 - 5	Not classified

Issue date: 9/23/2025 Revision date: 09/23/2025 Version: 1.0 US GHS SDS 24 Page 1 of 6

Safety Data Sheet

Sodium Chloride	(CAS-No.) 7647-14-5	1 - 5	Not classified

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

Description of first aid measures 4.1

First-aid measures general If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you

feel unwell.

First-aid measures after skin contact Rinse skin with water/shower.

Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to First-aid measures after eye contact

do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Victim is fully conscious: immediately induce vomiting. Immediately call a POISON CENTER/doctor. First-aid measures after ingestion

4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed. Causes eye irritation. Causes skin irritation. Symptoms/effects

Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact Causes eye irritation. Symptoms/effects after ingestion Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. If burn is present, treat as any thermal burn, after decontamination. No specific antidote. Supportive care. Treatment based on judgment of the physician in response to reaction of the patient.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing media to the environment.

5.2. Special hazards arising from the substance or mixture

Fire hazard Not flammable. Heat and acid contamination will produce irritating and toxic fumes. May decompose,

generating irritating chlorine gas. Heat is generated when mixed with water or aqueous acids. Spattering and boiling can occur. Avoid contact with: bromide trifluoride, 2-furan percarboxylic acid because calcium chloride is incompatible with those substances. Contact with zinc forms flammable hydrogen gas, which can be explosive. Catalyzes exothermic polymerization of methyl vinyl ether. Attacks metals in the presence of moisture and may release flammable hydrogen gas. Reaction of bromide impurity with oxidizing materials may generate trace levels of impurities such as bromates.

Contact with metallic substances may release flammable hydrogen gas. Thermal decomposition may Reactivity

produce chlorine, sodium oxide, oxygen, oxides of chlorine, sodium chlorate, and hydrogen. HCl.

Advice for firefighters 5.3.

Firefighting instructions Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment Gloves. Safety glasses. Protective clothing.

Emergency procedures Avoid contact with eyes. Wash contaminated clothes.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment.

Emergency procedures Stop leak if safe to do so. Stop release. Ventilate area.

Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment

Clean contaminated surfaces with an excess of water. On land, sweep or shovel into suitable Methods for cleaning up

containers. This material and its container must be disposed of in a safe way, and as per local legislation.

Issue date: 9/23/2025 Revision date: 09/23/2025 Version: 1.0 US GHS SDS 24 Page 2 of 6

Safety Data Sheet

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Always use cool water (temperature less than 80F, 27C) when dissolving calcium chloride. Heat

developed by solution is very high during dissolving and mixing.

Precautions for safe handling

Avoid contact with eyes.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and

when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Storage conditions : Keep container tightly closed. Storage area : Meet the legal requirements. Special rules on packaging : Keep only in original container.

SECTION 8: Exposure controls/personal protection

.1. Control parameters

ICE-GO PELLETS		
ACGIH	Not applicable	
OSHA	Not applicable	

Calcium Chloride (10043-52-4)

	ACGIH	Not applicable
	OSHA	Not applicable
Not applicable		

Sodium Chloride (7647-14-5)

oddium omonide (1047-14-0)	
ACGIH	Not applicable
OSHA	Not applicable
Not applicable	

Potassium Chloride (7447-40-7)

,	,
ACGIH	Not applicable
OSHA	Not applicable
Not applicable	

Water (7732-18-5)

Water (7732-10-5)	water (7732-10-3)	
ACGIH	Not applicable	
OSHA	Not applicable	
Not applicable		

8.2. Exposure controls

Appropriate engineering controls Personal protective equipment

- : Ensure good ventilation of the work station.
- : Gloves. Safety glasses. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : White solid
Odor : No odor
Odor threshold : No data available
pH : No data available
Melting point : 446 °F
Freezing point : No data available

Issue date: 9/23/2025 Revision date: 09/23/2025 Version: 1.0 US GHS SDS 24 Page 3 of 6

Safety Data Sheet

Boiling point : 388 °F

Flash point No data available Relative evaporation rate (butylacetate=1) No data available Flammability No data available Explosive limits No data available Explosive properties No data available Oxidizing properties No data available No data available Vapor pressure Relative density No data available Relative vapor density at 20°C No data available 2.2 g/ml Density Soluble in water. Solubility Partition coefficient n-octanol/water (Log Pow) No data available No data available Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature No data available Decomposition temperature No data available Viscosity No data available Viscosity, kinematic No data available Viscosity, dynamic No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with metallic substances may release flammable hydrogen gas. Thermal decomposition may produce chlorine, sodium oxide, oxygen, oxides of chlorine, sodium chlorate, and hydrogen. HCl.

10.2. Chemical stability

Hygroscopic.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

May be corrosive to metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Sodium Chloride (7647-14-5)	
LD50 oral rat	3000 mg/kg Source: ChemlDplus
LD50 dermal rabbit	> 10000 mg/kg bodyweight Animal: rabbit

Water (7732-18-5)	
LD50 oral rat	90000 mg/kg

Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Causes eye irritation.

Respiratory or skin sensitization : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met) STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Symptoms/effects after skin contact
Symptoms/effects after eye contact
Symptoms/effects after ingestion

Causes skin irritation.
Causes eye irritation.
Symptoms/effects after ingestion
Harmful if swallowed.

Likely routes of exposure : Skin and eyes contact
Issue date: 9/23/2025 Revision date: 09/23/2025 Version: 1.0 US GHS SDS 24 Page 4 of 6

Safety Data Sheet

SECTION 12: Ecological information		
12.1. Toxicity		
Sodium Chloride (7647-14-5)		
LC50 - Fish [1]	5840 mg/l Test organisms (species): Lepomis macrochirus	
LOEC (chronic)	441 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'	
NOEC (chronic)	314 mg/l Test organisms (species): Daphnia pulex Duration: '21 d'	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential		
Water (7732-18-5)		
Partition coefficient n-octanol/water (Log Pow)	-1.38	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container to comply with local/regional/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.

1 0

Prepared by: Technical Services Revision Date: 09/23/2025 Issue Date: 09/23/2025

Version: 1.0

Issue date: 9/23/2025 Revision date: 09/23/2025 Version: 1.0 US GHS SDS 24 Page 5 of 6

Safety Data Sheet

IMPORTANT:

The information presented herein, while not guaranteed, was prepared by technical personnel and is true and accurate to the best of our knowledge. This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESSED OR IMPLIED, IS MADE REGARDING PERFORMANCE, SAFETY, SUITABILITY, THE ACCURACY OF THIS DATA OR THE RESULTS OBTAINED FROM THE USE THEREOF, OR OTHERWISE. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, storage, disposal and other factors that may involve other or additional legal, environmental, safety or performance considerations, and Atco International assumes no liability whatsoever for the use of or reliance upon this information. While our technical personnel will be happy to respond to questions, safe handling and use of the product remains the responsibility of the customer. No suggestions for use are intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patents or to violate any Federal, State, local or foreign laws

OSHA Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, safety data sheets, training and access to written records. We request that you, and it is your legal duty to, make all information in this Safety Data Sheet available to your employees

... END of SDS ...

Issue date: 9/23/2025 Revision date: 09/23/2025 Version: 1.0 US GHS SDS 24 Page 6 of 6