

## Product Data

# LINE UP

## Blue, Water-Based, Marking Paint

### Suggested Uses:

- Utility marking
- Golf courses
- Landscaping
- Construction sites
- Surveying
- Mining

A fast drying marking paint designed to be sprayed in an inverted position. Produces vivid marks, does not clog, and is safe for grass. It dries to the touch in 15 minutes. Meets APWA (American Public Works Association) color standards and is VOC compliant. May be sprayed by hand or with the marking gun.

✓ Produces Vivid Marks

✓ Does Not Clog

✓ Safe for Grass

✓ V.O.C. Compliant



*...setting performance  
standards worldwide...*

## APPLICATIONS

LINE UP Marking Paint is a long-lasting striping paint that is dry to the touch in 15 minutes. LINE UP is ideal for use on: Utility marking, golf courses, landscaping, construction sites surveying and mining

## DIRECTIONS

1. For best results, use when can is between 50°F and 90°F (10°C and 32°C).
2. Shake can at least one minute after rattle is heard and occasionally during use.
3. To clear spray head for future use, turn can right side up and spray for 3 seconds. Completely empty cans may be recycled or disposed of with regular trash. Dispose of partially empty cans responsibly. DO NOT incinerate or compact.

## TECHNICAL DATA

<b>Flammability:</b>	“Flammable”
<b>Flash point:</b>	-4F
<b>Specific Gravity:</b>	0.83
<b>Solids Content:</b>	~26%
<b>VOC content:</b>	~52%, cannot exceed 66%
<b>MIR value:</b>	~0.62, cannot exceed 1.20
<b>HAPs content:</b>	0
<b>Storage Temperature:</b>	40-100F
<b>Application Temperature:</b>	50-90F
<b>Durability:</b>	Good
<b>Abrasion Resistance:</b>	Good
<b>Resin System:</b>	V.T. Alkyd
<b>Color:</b>	Blue
<b>Do not warehouse in subfreezing temperatures</b>	



*...setting performance  
standards worldwide...*

C-5, 17/PC-4392/1213

## Product Data

# LINE UP

## Red, Water-Based, Marking Paint

### Suggested Uses:

- Utility marking
- Golf courses
- Landscaping
- Construction sites
- Surveying
- Mining

A fast drying marking paint designed to be sprayed in an inverted position. Produces vivid marks, does not clog, and is safe for grass. It dries to the touch in 15 minutes. Meets APWA (American Public Works Association) color standards and is VOC compliant. May be sprayed by hand or with the marking gun.

✓ Produces Vivid Marks

✓ Does Not Clog

✓ Safe for Grass

✓ V.O.C. Compliant



*...setting performance  
standards worldwide...*

## APPLICATIONS

LINE UP Marking Paint is a long-lasting striping paint that is dry to the touch in 15 minutes. LINE UP is ideal for use on: Utility marking, golf courses, landscaping, construction sites surveying and mining

## DIRECTIONS

1. For best results, use when can is between 50°F and 90°F (10°C and 32°C).
2. Shake can at least one minute after rattle is heard and occasionally during use.
3. To clear spray head for future use, turn can right side up and spray for 3 seconds. Completely empty cans may be recycled or disposed of with regular trash. Dispose of partially empty cans responsibly. DO NOT incinerate or compact.

## TECHNICAL DATA

<b>Flammability:</b>	“Flammable”
<b>Flash point:</b>	-4F
<b>Specific Gravity:</b>	0.83
<b>Solids Content:</b>	~26%
<b>VOC content:</b>	~52%, cannot exceed 66%
<b>MIR value:</b>	~0.62, cannot exceed 1.20
<b>HAPs content:</b>	0
<b>Storage Temperature:</b>	40-100F
<b>Application Temperature:</b>	50-90F
<b>Durability:</b>	Good
<b>Abrasion Resistance:</b>	Good
<b>Resin System:</b>	V.T. Alkyd
<b>Color:</b>	Red
<b>Do not warehouse in subfreezing temperatures</b>	



*...setting performance  
standards worldwide...*

C-5, 17/PC-4398/0815